

STATISTICAL ANALYSIS OF THE DENTAL STATUS OF PERSONS WISHING TO HAVE LUMINEERS

Khabilov B.N., Nabiraeva B.A., Axmadjonov M.A.

Tashkent State Dental Institute

bekzodx@bk.ru

Introduction. Recently, there has been a significant increase in the need of patients for aesthetic manipulations by dentists, which requires both an increase in the level of assistance to the latter and the development of new methods of treatment. One of the new, sparing, safe methods of treating patients was the introduction of lumineers into dental practice.

Purpose of the study. Conduct a statistical analysis of the dental status of persons wishing to put Lumineers.

Materials and methods. When performing the work, a number of stages were used: questioning of patients; dental examination; laboratory research methods; sanitation of the oral cavity; evaluation of the results of the study. In the patients we observed, a change in the color of the teeth was revealed. A total of 25 patients were under observation, of which 10 were men and 15 were women.

Research results. We conducted a survey of patients who came to the dentist because of aesthetic problems of the teeth. The survey data made it possible to obtain statistical information on the use of Lumineers depending on age, gender, profession, salary and a number of other factors. Thus, according to the analysis, it was revealed that among the persons who expressed a desire to put Lumineers, there were mainly women (67%), more than half of them were aged 26 to 40 years, 48% had their own business in addition to their work and 54 % were people with a salary of 5 million soums. It should be noted that among women, only 7% want to put Lumineers during pregnancy, and the rest are put directly after childbirth. 80% of patients want to put lumineers in the frontal group of teeth two tones above their own color.

Conclusions. Evaluation of the dental status of persons who applied proves that the use of therapeutic and preventive measures using lumineers increases the aesthetic and functional effectiveness of the treatment of patients with discolored teeth.

Literature

1. Акбаров, А. Н., et al. "ЭКСПЕРИМЕНТАЛЬНОЕ ОБОСНОВАНИЕ ИСПОЛЬЗОВАНИЯ НОВОЙ КОНСТРУКЦИИ ОТЕЧЕСТВЕННОГО ЗУБНОГО ИМПЛАНТАТА."
2. Хабиллов, Н. Л., М. Т. Сафаров, and Ш. И. Азизова. "MODERN METHODS OF PREVENTION AND TREATMENT OF HYPERESTHESIA CAUSED BY SHARPENING IN ORTHOPEDIC DENTISTRY." УЗБЕКСКИЙ МЕДИЦИНСКИЙ ЖУРНАЛ 2.3 (2021).